

MAR 01 2024

JEANNIE GOFF
COUNTY CLERK, JEFFERSON COUNTY, MO *JB*

BILL NO.: 24-0214

ORDINANCE NO.: 24- 0136

INTRODUCED BY: COUNCIL MEMBER (s) Groetelke

1 **AN ORDINANCE AUTHORIZING JEFFERSON COUNTY, MISSOURI,**
2 **DEPARTMENT OF PUBLIC WORKS TO PURCHASE TWO (2) SINGLE AXEL**
3 **FREIGHTLINER DUMP TRUCKS FROM HENDERSON PRODUCTS, INC.; AND**
4 **THE AUTHORIZATION FOR THE COUNTY EXECUTIVE TO EXECUTE ANY**
5 **NECESSARY AGREEMENTS OR CONTRACTS TO EFFECTUATE THE**
6 **PURCHASE.**

7 **WHEREAS,** Jefferson County, Missouri, (hereafter, the “County”) through the
8 Department of Public Works desires to purchase two (2) Single-Axle Freightliner Dump
9 Trucks from Henderson Products, Inc., under the Sourcewell Contract 080818-HPI; and

10 **WHEREAS,** Jefferson County, Missouri, (hereafter, the “County”) through the
11 Department of Public Works recommends the purchase of two (2) Single-Axle Freightliner
12 Dump Trucks from Henderson Products, Inc., under the Sourcewell Contract 080818-HPI
13 for the following terms and conditions as authorized by the County:

PURCHASE EQUIPMENT

Two (2) Single-Axle Freightliner Dump Trucks

AWARDED BIDDER

Henderson Products, Inc.

Sourcewell Contract 080818-HPI

PURCHASE COST

1 For a total not to exceed **\$372,648.00**,
2 and subject to budgetary limitations

3 **AWARDED BIDDER**

4 Henderson Products, Inc.

5 Section 2. The Jefferson County, Missouri, Council hereby authorizes the
6 County Executive to execute the purchase of the Two (2) Single-Axle Freightliner Dump
7 Trucks an unexecuted copy of which is incorporated herein by reference and attached as
8 Exhibit A. The County Executive is further authorized to take any and all actions necessary
9 to carry out the intent of this Ordinance.

10 Section 3. Copies of all Invitations for Bid, Requests for Proposals, responses
11 thereto, and any contracts or agreements shall be maintained by the Department of the
12 County Clerk consistent with the rules and procedures for the maintenance and retention
13 of records as promulgated by the Secretary of State.

14 Section 4. This Ordinance shall be in full force and effect from and after its
15 date of approval. If any part of this Ordinance is invalid for any reason, such invalidity
16 shall not affect the remainder of this Ordinance.


[THIS SPACE INTENTIONALLY LEFT BLANK]

THIS BILL BEING DULY INTRODUCED, THE MEMBERS OF THE JEFFERSON COUNTY, MISSOURI, COUNCIL VOTED AS FOLLOWS:

Council Member District 1, Brian Haskins	<u>yes</u>
Council Member District 2, Gene F. Barbagallo	<u>yes</u>
Council Member District 3, Lori Arons	<u>yes</u>
Council Member District 4, Charles Groeteke	<u>yes</u>
Council Member District 5, Scott Seek	<u>yes</u>
Council Member District 6, Daniel Stallman	<u>yes</u>
Council Member District 7, Bob Tullock	<u>yes</u>

THE ABOVE BILL ON THIS 26 DAY OF February, 2024:

PASSED **FAILED**



Charles Groeteke, County Council Chair



Cherlynn Boyer, Council Executive Assistant

THIS BILL WAS ✓ APPROVED BY THE JEFFERSON COUNTY EXECUTIVE AND ENACTED AS AN ORDINANCE OF JEFFERSON COUNTY, MISSOURI, THIS 1 DAY OF ~~FEBRUARY~~, 2024.

March 9

THIS BILL WAS _____ VETOED AND RETURNED TO THE JEFFERSON COUNTY, MISSOURI, COUNCIL WITH WRITTEN OBJECTIONS BY THE JEFFERSON COUNTY EXECUTIVE, THIS _____ DAY OF _____, 2024.

Dennis J. Gannon

Dennis J. Gannon, Jefferson County, Missouri, Executive

ATTEST:

Jeannie Goff
Jeannie Goff, County Clerk

Reading Date: 02-26-2024




HENDERSON

PRODUCTS, INC.

400 W. SAINT EUNICE RD.
FULTON, MO 65251
PHONE: 573-826-2911
FAX: 573-826-2912

CUSTOMER QUOTE

Page 1
Quote #173859
Rev #48



To: JEFFERSON COUNTY MISSOURI
Attn: DOYLE CHILTON
Quote Date: 1/30/2024
Valid Until: 3/01/2024

Quoted By: Ken Pasker
Phone: 563-927-2828
Cell:
Fax: 563-927-2521
Email: kpaskerjr@hendersonproducts.com

Quoted:

JEFFERSON COUNTY MO Single Axle Plow Truck Package: Freightliner 108SD
Chassis, Henderson 10'x30in MKE Body, Snow Plow Pin Hitch, Force
Hydraulics W/ Install

Henderson Products is pleased to present the following quote. Please contact us if you have any questions.

Installation Workup

Facility: IDC-MO

Chassis Delivery To Henderson: Truck Dealer/Customer Delivers

Completed Truck Delivery Method: Henderson Delivers (100 miles or less)

Chassis Make: Freightliner

Chassis Model Yr: 2024

Chassis Model: 108SD Plus

Useable CA/CT: 87in Cab-to-Axle per Spec

Front Axle Rating: 14,600lb

Rear Axle Rating: 21,000lb

Front Frame Ext?: Yes

Frnt Frame Ext Type: Full

Front Frame Wall: Single Wall

Front Frame Width: 34"

Pump Location: Transmission Mount Pump

Transmission Type: Automatic

Transmission Model: Allison Transmission

Chassis Options 1: ADD 1) 164416 TRUCK ID PLATE NUMBER TBD

Hitch Type: Low Profile or Manual Tilt Type Hitch

Mount Type: Cheek Plate Mount Kit (Select type below)

Mount Kit Model (Req'd): Low Pro/MT Ck Plt Kit (No Wng, 34"w Full Frame)

Front Bumper: OEM Bumper Cut and Split

Front Tow Hooks: Tow hooks Installed, Pair (supplied with chassis)

Dump Body Type: Mark E Single Axle

Floor Length: (10') Floor length

Hoist Type: Tele Trun HoIst with Subframe, Internal Doghouse

Cylinder Type: Double Acting

Body Material (Sides/ends): Stainless Steel Type Body Material

Tailgate Release Type: IDC supplied Electric over air valve

Pressure Protection Valve: Direct to air tank valve (All except Int, Mack & Volvo)

Cabshield Install: Supl'd by fact, welded to body @ IDC, sales to order w/ unit



National
Purchasing
Partners
Government
Since 2005





HENDERSON

PRODUCTS, INC.

400 W. SAINT EUNICE RD.
FULTON, MO 65251
PHONE: 573-826-2911
FAX: 573-826-2912

CUSTOMER QUOTE

Page 2
Quote #173859
Rev #48

Asphalt Lip (FF Only): Suppl'd by Fact, instll @ IDC, Bolt On (Sales order with unit)
Step(s): Supplied and install @ IDC (select from step options below)
Step QTY: 2
Step 1 Type: SS Serrated 18" Step (For Flat Surface)
Step 1 Location: Driver Side Front, outside
Step 2 Type: SS Serrated 18" Step (For Flat Surface)
Step 2 Location: Passener side rear, outside
Grab Handle(s): (2) Factory suppl'd, install @ IDC (Sales to order with unit)
Ladder(s): Supplied by factory, Install @ IDC (sales to order w/ unit)
Ladder Install QTY (Dump): (2) LADDERS INSTALLED @ IDC (LABOR ONLY)
Ladder Install Style (Dump) 1: 3 Step Pull Out
Ladder Install Loc 1 (Dump): Driver Side Front
Ladder Install Style (Dump) 2: 3 Step Pull Out
Ladder Install Loc 2 (Dump): Passenger Side Rear
Shovel Holder: (2) IDC Supl'd Spring Loaded SS Shovel Holders w/ SS brckts
Shovel Holder Loc (1): Driver side body
Shovel Holder Loc (2): Passenger side body
Sideboards: Wood (Un-Painted), supplied/installed by IDC
Sideboard Spec: ADD 2) 164059 2X10 ROUGH CUT OAK

Sideboard Notes:

Tarp Brand: US Tarp (order 86" c/s if using integral shield)
Tarp System: Electric Tarp, Bullet Proof Arms, w/ Wind Deflector
Tarp Material: Black Vinyl (Asphalt rated)
Tarp Length: 13' Body Length or Shorter (BV, US)
Body Install Options 1: ADD 2) HX15134.201 FORK STYLE SHOVEL HOLDERS LOOSE
Body Install Options 2: **make sure p/s rear ladder is far enough back so it
doensft
Body Install Options 3: hit tire when body loaded

Body Spec Notes:

Spreader Type: FSH
FSH Drive Type: Hydraulic
FSH Mount Type: Slip in Mount
Slip in Tie Downs: IDC supp'd Weld-On Winch kit, SS (w/3" x 72" straps)
Trunnion Latch: Install Fact Sup'ld Trun Latch Bar, sales to order with unit
FSH Spinner Configuration: Standard Spinner install
Spreader Options 1: Run plumbing and wiring for future installed spreader
Spreader Options 2: cap lines at end ILO of couplers

Prewet/Liquid System: V-box Prewet System
System Type: FSH
Tank Configuration: Factory Supplied/Installed (Sales to order w/unit)
Drive Configuration: Hydraulic Drive, Factory Installed (Sales to order w/unit)
Controls: Supplied by IDC (sales to order w/ hyd cntrls)



National
Purchasing
Partners
Government
Since 2005





HENDERSON

PRODUCTS, INC.

400 W. SAINT EUNICE RD.
FULTON, MO 65251
PHONE: 573-826-2911
FAX: 573-826-2912

CUSTOMER QUOTE

Page 3
Quote #173859
Rev #48

Liquid Options 1: Run plumbing for future installed PreWet
Liquid Options 2: cap lines at end ILO of couplers

Liquid Details:

Chassis Accessories: Yes (SELECT RELATED OPTIONS BELOW)

Mudflaps (Rear): Swinging w/Logo

Mudflap Type (Rear): 36" Swinging, SS (with LOGO)

Fenders: Front Quarter Fenders, Poly (standard)

Pintle Plate: Yes (select from options below)

Pintle Plate Configuration: 3/4" Plate, Blank, SA w/SubFrm (w/3LTC)

Pintle Plate D-Rings: Qty (2) 3/4" D-rings

Pintle Hook: Not Required

Glad Hands: Glads, Fixed, strt, serv & emerg, w/ Dust Covers, Pr

Trailer Plug (1): 7 Pin Trailer Plug, Round, Plastic

Tool Box: Qty 1 Toolbox (Select type below)

Toolbox (1) Type: 18"x18"x24" SS Tbox, Mild Brkts

Tool Box Location 1: Drivers side

Auto Tire Chains: OnSpot Chains

Truck Wash: Complete Truck Wash/Clean/Vac 1

Warranty: Standard 1 Year Warranty

Inspection: Walk-around meeting only

Install Touch-up: Basic Installation Touch-Up

Chassis Install Options 1: ADD 1) 160909 25 TON SWIVEL PINTLE HOOK

Chassis Install Options 2: ADD 1) 159269 CHIPPER BAR KIT

Chassis Install Options 3: Mount glad hands through subframe at rear

Electrical: Yes (SELECT RELATED OPTIONS BELOW)

Power Distribution Panel: Power Distribution Panel

Misc Electrical Supplies: Req'd Misc Elect Supplies

Plow Lights: Plow Lts, Halogen, Trucklite All Chassis, (PAIR)

Plow Light Brackets: Plow Lt Brckts, SS, FRTLNR/Western Star/Other, Pair

Worklight(s) QTY: (QTY 1) Work Light (Select type below)

Worklight (1) Type: LED, Worklight, 4in Round (Optilux)

Worklight (1) Gen Location: On rear of body

Cabshield Warning Light Qty: Qty 2 Lights (Order Holes with Unit)

Cabshield Warning Lights: QTY 2, 6" LED Oval Strobes, Amber (order holes w/unit)

Cabshield Lighting Harness: Cabshield Warning Lights Only (qty 2-6)

Rear Dump Bolster (S/T/T): LED S/T/T, kit (West) (order holes)

Rear Dump Bolster (Back-up): B/U Lights, LED, Clear, Oval, pair (Order holes with body)

Rear Dump Bolster Strobes: 6" LED Oval Strobes, Amber, 1 PR, (order holes w/unit)


Back up alarm: Relocate chassis supplied b/u alarm (verify if incl w/ OEM)

Body up switch/light: Body UP Switch/Body Up Light (Trucklite)

Brake controller: Supplied with Chassis

Backbone & Wire Standoffs: 10' Backbone (For SA)

Electrical Install Opt 1: ADD 1) EACH 160124 BOOT, 160432 REDUCER



National
Purchasing
Partners
Government
Since 2005





HENDERSON

PRODUCTS, INC.

400 W. SAINT EUNICE RD.
FULTON, MO 65251
PHONE: 573-826-2911
FAX: 573-826-2912

CUSTOMER QUOTE

Page 4
Quote #173859
Rev #48

Electrical Install Opt 2: ADD 1) 164820 CABLE, CAN, DROP
Electrical Install Opt 3: m12 and 2pin deutsh forward facing in D/S bolster for
Electrical Install Opt 4: spreader feedback and work light connection

Electrical Spec Notes:

Hydraulics: Full Hydraulic Package
Hyd Supplier: Force America (Select Pkg Below)
Hyd Supplier (Spec): Force America Quote# Qt001-1317370-2
Controls Type: Electric Controls
PTO Type: Included in Hydraulics Package
Reservoir Type: Supplied With Hydraulics
Valve Enclosure Type: Supplied With Hydraulics
Low Oil Indicator: Yes, included in Hyd Pkg
Quick Coupler Upgrade: Other(quote below)
Quick Coupler Upgrade (Spec): MO style quick couplers
Hyd Options 2: ADD 1) EACH 81914A AND 81914B COUPLERS

Hydraulics Notes:

3100 Series with SS Hydraulic tank with plastic poly cover

HPI Marke

COUNTRY/LANGUAGE: USA/ENGLISH
FAMILY: MARK E, CLASSIC
FLOOR LENGTH: 10' FLOOR LENGTH
SIDE HEIGHT: 30" SIDE HEIGHT
BODY MATERIAL (SIDES/HEADSHEET): 7GA 201SS SIDES/HEADSHEET
SIDE BRACES: NO SIDE BRACES
TOP RAIL/RUB RAIL MATERIAL: 7GA 201SS TOP & RUB RAILS
REAR BOLSTER HEIGHT: 16" BOLSTER, 2-1/8" POCKETS
REAR BOLSTER MATERIAL: 7GA 201SS REAR BOLSTERS
FRONT BOLSTER: NO FRONT BOLSTERS
FLOOR MATERIAL: 3/16" AR400 FLOOR
HOIST TYPE: TRN MT HOIST, INT DH, SUBFRM, DA
CYLINDER MODEL: CS/G4, DBL ACT, 2YR SALT WTY*
HOOKLIFT A-FRAME: NON-HOOKLIFT
HOIST MOUNT TYPE: STANDARD SUBFRAME
INSTALL HOIST & CRADLE: UPFITTER INSTALLED H&C
LONGSILLS: 5" I-BEAM LONGSILLS, FULL WELD
BODY HINGE MAINTENANCE: GREASELESS BUSHINGS
TAILGATE STYLE: CONFIGURABLE STANDARD TAILGATE
TAILGATE SHEET MATERIAL: 7GA 201SS TAILGATE SHEET
TAILGATE LINER: NO TAILGATE LINER
COAL CHUTE: NO COAL CHUTE
TAILGATE BRACE: 1 HORIZONTAL TAILGATE BRACE
TAILGATE LIFT STYLE/LOCATION: FORMED LIFT LOOP, TOP BRACE



National
Purchasing
Partners
Government
Since 2005





HENDERSON

PRODUCTS, INC.

400 W. SAINT EUNICE RD.
FULTON, MO 65251
PHONE: 573-826-2911
FAX: 573-826-2912

CUSTOMER QUOTE

Page 5
Quote #173859
Rev #48

TAILGATE RELEASE & CONTROL: DOUBLE ACTING, SS BUSHING, TG RELEASE
TAILGATE HINGE: STD, 1-1/4" PIN, 1" PLT
TAILGATE CHAINS: SS TAILGATE CHAINS
BOLSTER CHAIN HOOKS: BANJO CHAIN HOOKS INSTALLED
HORIZONTAL J-HOOKS: HORIZONTAL J-HOOKS
TAILGATE PIN LANYARDS: NO TAILGATE PIN LANYARDS
TAILGATE AIR VALVE: UPFITTER SUPPLIED TAILGATE AIR VALVE
LUBRICATION: GREASELESS PINS, JAWS, & SHAFT
CABSHIELD STYLE/WIDTH/OVERHANG: WELD-ON, 22"x86", NO TARP SHROUD
CABSHIELD MATERIAL: 201SS, 10GA PANEL, 7GA ENDS
CABSHIELD INSTALLATION: CABSHIELD SHIPS LOOSE
CABSHIELD OFFSET: OFFSET NOT APPLICABLE
CABSHIELD LIGHTING: CS LIGHTS, 1 EACH 45 DEGREE CORNER
ASPHALT LIP: CUSTOM ASPHALT LIP
CUSTOM ASPHALT LIP: 152496.201 bolt on asphalt lip
SIDE BOARDS: MID POINT BOARD BRACE ONLY
SIDE LADDER LOCATION: LADDER/GRBHND, DS FRNT, SL
SIDE LADDER TYPE: LADDER, PULLOUT 201SS, NO UPR
CUSTOM SIDE LADDER: Need (2) pull out ladders
BODY STEPS: NO INTERIOR STEPS
RUB RAIL LIGHTING: NO RUB RAIL LIGHTING
REAR BOLSTER MARKER LIGHTING: 2.5" RED REAR BLSTR LIGHT
REAR FACING REAR BOLSTER LIGHT: 3 OBRound LIGHT
LIGHTING ADD ONS: NO BOLT-ON LIGHT BOX
LIGHTING PACKAGE: UPFITTER SUPPLIED LIGHT PACK
PWS TANKS: NO PREWET TANKS
PREWET PREP: NO PREWET BOX BRACKET
WALK RAILS: 2" DRVR & CURB WALK RAIL
TARP RAILS: NO TARP RAILS
VIBRATOR LOCATION: NO VIBRATOR
TGS INSTALLATION: NO FACTORY INSTALLED TGS
TGS INTEGRATION: NO TGS SPILL SHIELDS
TGS/ASPHALT LIP MOUNT HOLES: NO MOUNT HOLES IN BOLSTER
FINISH PREP: WASH & PRIME MILD PARTS ONLY
PAINT/FINISH: NO FINISH
NOTE 1:: ADDITIONAL CUSTOM OPTION
CUSTOM OFFERING: NEEDS TO HAVE 8in. I BEAMS ILO STANDARD
NOTE 2:: ADDITIONAL CUSTOM OPTION
CUSTOM OFFERING 2: mid-point board pocket ilo of brace
NOTE 3:: NO ADDITIONAL CUSTOM OPTIONS
NOTE 4: ADDITIONAL CUSTOM OPTION
CUSTOM OFFERING 4: NEED 4 HOLE BULKHEAD PLATE 154362.201 DS RUBRAILS REAR
NOTE 5: NO ADDITIONAL CUSTOM OPTIONS
NOTE 6: ADDITIONAL CUSTOM OPTIONS
CUSTOM OFFERING 6: NEED 2) 74605 BODY GUIDES LOOSE
NOTE 7: NO ADDITIONAL CUSTOM OPTIONS
NOTE 8: NO ADDITIONAL CUSTOM OPTIONS



National
Purchasing
Partners
Government
Since 2005





HENDERSON

PRODUCTS, INC.

400 W. SAINT EUNICE RD.
FULTON, MO 65251
PHONE: 573-826-2911
FAX: 573-826-2912

CUSTOMER QUOTE

Page 6
Quote #173859
Rev #48

Snow Plow Hitch

Reversing Cylinder Style: None or Top mount reversing cylinders
Plow Portion Hitch: Plow portion picked under plow
Hitch, Truck Portion: Pin hitch, low profile, 30.5"
Bumper to Frame Mounting Kit: No, upfitter supplied mounting
Hydraulic Lift Cylinder: 3" x 2" x 10" Double Acting Nitrided Lift Cylinder, std
High Pressure QD System: No High Pressure QD System
Holding Valve for Lift Cylinder: No Holding Valve For Lift Cylinder
Custom Options: No Custom Options Required

Specialty Equipment

Quotation Type: Henderson Supplied Chassis
Chassis Make: 2024 Freightliner 108SD
Chassis Quote #:

Chassis Details:

2024 Freightliner 108SD

Single package: \$186,324.00
Package(s) : 1
Total: \$186,324.00

Sales tax may apply to this order but is not included in the package total. If you are tax exempt, please submit your exemption certificate to finance@hendersonproducts.com.

Due to the volatility in material costs and chassis delays, pricing is subject to change at time of manufacturing and/or upfit.

Signed: _____

Henderson Gannon

Date: _____

3/1/2024

Quote notes:
Multi-Unit sale



National
Purchasing
Partners
Government
Since 2005



I hereby certify under section 50.660 RSMo there is either: (1) a balance of funds, otherwise unencumbered, to the credit of the appropriation to which the obligation contained herein is chargeable, and a cash balance otherwise unencumbered, in the treasury, to the credit of the funds from which payment is to be made, each sufficient to meet the obligation contained herein; or (2) bonds or taxes have been authorized by vote of the people and there is sufficient unencumbered amount of the bonds yet to be sold or of the taxes levied and yet to be collected to meet the obligation in case there is not a sufficient unencumbered cash balance in the treasury.



County Auditor